


# EB-L1100U

## DATASHEET



This WUXGA LCD laser projector offers superior images and a long-lasting, low maintenance performance

Promising long-life laser projection for large venues, this 6,000 lumens WUXGA projector delivers rich, vivid colours thanks to Epson's 3LCD technology and equally high White and Colour Light Output. With flexible installation and low maintenance, this 4K enhanced projector offers a fit-and-forget solution for scenarios in which only superior projections will do.

### Laser-sharp images

Ensure superb quality and the best possible delivery of presentations with this laser installation projector for large venues. Featuring 3LCD technology and equally high White and Colour Light Output, its WUXGA resolution images are vivid and bright, even in daylight. Including a newly developed inorganic phosphor wheel, the projector offers superior light and heat resistance to deliver excellent reliability. For a next-level viewing experience, the projector features 4K enhancement, giving images exceptional sharpness and clarity that lasts for up to 83,000 hours<sup>1</sup> thanks to a long laser life. A built-in camera is also included to ensure accurate image calibration.

### Flexible positioning

Thanks to a new range of motorised lenses, including optional ultra-short throw (UST) lens, the projector benefits from true 360° installation flexibility, allowing it to be placed virtually anywhere - without loss of brightness or distortion of image.

## KEY FEATURES

- **Laser light source technology**  
Reliable and long-lasting picture quality (up to 83,000 hours<sup>1</sup>)
- **Superior picture quality**  
Enhanced light output; superior white balance; better colour matching
- **HD images with 4K enhancement**  
Exceptional sharpness, clarity and detail for the real 4K effect
- **Flexible 360° installation**  
True flexibility without distortion or loss of brightness
- **Added peace of mind**  
Product comes with 5-year, 20,000 hour warranty



## PRODUCT SPECIFICATIONS

### TECHNOLOGY

Projection System	3LCD Technology
LCD Panel	0,76 inch with C2 Fine

### IMAGE

Colour Light Output	6.000 lumen- 4.200 lumen (economy) In accordance with IDMS15.4
White Light Output	6.000 lumen - 4.200 lumen (economy) In accordance with ISO 21118:2012
Resolution	WUXGA, 1920 x 1200, 16:10
High Definition	4K enhancement
Aspect Ratio	16:10
Contrast Ratio	2.500.000 : 1
Native Contrast	2.000 : 1
Laser Light source	20.000 Hours Durability High, 30.000 Hours Durability Eco
Portrait Colour Light Output	6.000 lm
Portrait White Light Output	6.000 lm
Keystone Correction	Manual vertical: $\pm 45^\circ$ , Manual horizontal $\pm 30^\circ$

### OPTICAL

Projection Ratio	1,44 - 2,32:1
Zoom	Motorized, Factor: 1 - 1,6
Projection Lens Zoom Ratio	1,44 - 2,32 : 1
Lens Shift	Motorized - Vertical $\pm 67\%$ , horizontal $\pm 30\%$
Lens position memory	10 positions
Image Size	50 inches - 300 inches
Projection Lens F Number	1,7 - 2,3
Focal Distance	24,02 mm - 38,24 mm
Focus	Motorized

### CONNECTIVITY

Interfaces	USB 2.0 Type B (Service Only), RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), VGA in, VGA out, DVI in, HDMI in, BNC in, HDBaseT, Stereo mini jack audio out, Stereo mini jack audio in (3x), Wireless LAN b/g/n (2.4GHz) (optional)
------------	---

### ADVANCED FEATURES

Features	4K enhancement, Absolute Black, Auto calibration, Built-in speaker, Customizable user logo, Frame interpolation, Lens position memory
Video Colour Modes	Cinema, Dynamic, Presentation, sRGB, DICOM SIM, Multi Projection
Projector control	via: AMX, Crestron, Control4

### GENERAL

Energy Use	454 W, 313 W (economy), 0,5 W (standby), On mode power consumption as defined in JBMS-84 377 W
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	586 x 492 x 211 mm (Width x Depth x Height)
Product weight	20 kg
Noise Level	Normal: 34 dB (A) - Economy: 28 dB (A) (4K enhancement OFF)
Colour	White

### OTHER

Warranty	60 months Carry in or 20.000 h
----------	--------------------------------

## EB-L1100U

### WHAT'S IN THE BOX

- CD Manual
- Cable cover
- VGA cable
- Power and signal cable (3 m)
- Quick Start Guide
- Remote control incl. batteries

---

## OPTIONAL ACCESSORIES

---

EB-L1100U

- Air Filter - ELP AF51  
V13H134A51
- Ceiling Mount - ELPMB47 Low EB-G7000/L1000  
V12H802010
- Ceiling Mount - ELPMB48 High EB-G7000/L1000  
V12H803010
- Wireless LAN Adapter - ELPAP10  
V12H731P01
- Quick Wireless Connect USB key - ELPAP09  
V12H005M09
- HDBaseT Transmitter - ELPHD01  
V12H547040
- 3D Polarizer - ELPPL01  
V12H618A01
- Stacking Frame - ELPMB50 - L1000 Series (Premium)  
V12H003B50

---

## OPTIONAL LENSES

---

- Lens - ELPLM09 - Mid throw 2 - G7000/L1000 series  
V12H004M09
- Lens - ELPLU03 - G7000 & L1000 Series ST off axis 1  
V12H004U03
- Lens - ELPLX01 - UST lens G7000 series & L1100,1200,1300,1400/5U  
V12H004X01
- Lens - ELPLU04 - G7000 & L1000 Series ST off axis 2  
V12H004U04
- Lens - ELPLW05 - G7000 & L1000 Series wide zoom 1  
V12H004W05
- Lens - ELPLM08 - Mid throw 1 - G7000/L1000 series  
V12H004M08
- Lens - ELPLL08 - Long throw - G7000/L1000 series  
V12H004L08
- Lens - ELPLM10 - Mid throw 3 - G7000/L1000 series  
V12H004M0A
- Lens - ELPLM11 - Mid throw 4 - G7000/L1000 series  
V12H004M0B
- Lens - ELPLM15 - Mid Throw L1500/L1700 Series  
V12H004M0F

---

## LOGISTICS INFORMATION

SKU	V11H735040
EAN code	8715946616780
Country of Origin	China

Epson Europe B.V.  
(Branch office Latvia)  
Skanstes street 50  
R ga, LV-1013  
Latvija  
Tel: +371 67017800

Kaubamärgid ja registreeritud kaubamärgid kuuluvad ettevõttele Seiko Epson Corporation või nende vastavatele omanikele. Tooteavet võidakse ette teatamata muuta.

1. - Laser life of up to 83,000h hours in custom mode

**EPSON**<sup>®</sup>